

Sl. No.	Items	Unit	Qty
1	Bush cutter blade	No	1
2	Bush cutter blade	No	1
3	Bush cutter blade	No	1
4	Bush cutter nylon string	Meter	1
5	Hedge trimmer	Set	1
6	Hedge trimmer blade for SI No 29 above	No	1
7	Power chain saw	Set	1
8	Power chainsaw bar	No	1
9	Power chainsaw bar	No	1
10	Power chainsaw bar	No	1
11	Power Chiansaw chain	No	1
12	Power Chiansaw chain	No	1
13	Power Chiansaw chain	No	1
14	Chian saw blade	No	1
15	Paddle thresher	No	1
16	Knap sack sprayer	No	1
17	Gator sprayer	No	1
18	Power sprayer	No	1
19	Digital weighing balance	No	1
20	Digital weighing balance	No	1
21	Grain moisture meter	No	1
22	Sealing machine	No	1
23	Digital Weighing balance	No	1
24	Digital Weighing balance	No	1
25	Crowber Tata 32mm	Each	1
26	Crowber Tata 22mm	Each	1
27	Crowber Tata 25mm	Each	1
28	Crowber Tata 29mm	Each	1
29	Crowber Tata 20mm	Each	1
30	Hammer DFS 1	Each	1
31	Hammer DFS 2	Each	1
32	Hammer DFS 3	Each	1

33	Hammer DFS 4	Each	1
34	Hammer DFS 5	Each	1
35	Hammer DFS 8	Each	1
36	Hammer DFS 12	Each	1
37	Hammer DFS 14	Each	1
38	Hammer DFS 16	Each	1
39	Hammer DFS 18	Each	1
40	Hammer DFS 20	Each	1
41	Ball pin Hammer	Each	1
42	Claw Hammer	Each	1
43	Stone breaking hammer	Each	1
44	Shovel Round	Each	1
45	Shovel square	Each	1
46	Spade 1 kg	Each	1
47	Spade 1.4kg	Each	1
48	Spade 1.6kg	Each	1
49	Spade 1.8 kg	Each	1
50	Pick Axe 2.5kg	Each	1
51	Sickle medium size	Each	1
52	Motar Pan MS	Each	1
53	Motar Pan GI	Each	1
54	Axe 1.5kg	Each	1
55	Axe 2. kg	Each	1
56	Fork shovel	No	1
57	Potting shovel	No	1
58	Potting shovel	No	1
59	Serrated sickle	No	1
60	Sickle domchey	No	1
61	Garden rake	No	1
62	Garden rake	No	1
63	Garden rake	No	1
64	Leaf rake	No	1
65	Kutay, Hoe flat nose	No	1
66	Kutay, Hoe pointed nose	No	1
67	Hand Garden hoe	No	1
68	Top prunner	No	1
69	Prunning lopper	No	1
70	Hedge cutter scissor	No	1
71	Hedge cutter scissor	No	1
72	Hedge cutter scissor	No	1
73	Hedge cutter scissor Indian	No	1
74	Secateur with leather case and belt	Set	1

75	Secateur with leather case and belt	Set	1
76	Secateur	No	1
77	Secateur	No	1
78	Secateur	Nos	1
79	GPS Garmin Oregon 650 t	Set	1
80	Bush, grass cutter machine	nos	1.000
81	Grafting knife	Pc	1
82	Budding knife	set	1
83	Purning saw	No	1
84	Prunning saw with wooden case	No	1
85	Purning saw	No	1
86	Water sprinkler	Set	1
87	Water sprinkler	No	1
88	Garden hose	Meter	1
89	Grafting tape	Kg	1
90	Green house clamp	Pcs	1
91	Green house plastic rope	Roll	1
92	Plastic sheet	No	1

93	Plastic sheet	No	1
94	Plastic sheet	No	1
95	Plastic sheet	No	1
96	Plastic sheet	No	1
97	Plastic sheet	No	1
98	Plastic sheet	No	1
99	Plastic sheet	No	1
100	Nylon White Rope	Kg	1
101	Hessian cloth, jute	SqM	1
102	Foldable tripod ladder	Set	1
103	Foldable ladder	Set	1
104	Jute rope	Kg	1
105	Nylon rope, Sutali	Roll	1
106	Parafilm grafting tape	Roll	1
107	Fruit bagging pouch	No	1
108	Flexible pipe, threaded inside	Roll	1
109	Flexible pipe, threaded inside	Roll	1
110	Flexible pipe	Meter	1
111	Flexible pipe	Meter	1
112	Plastic Grafting tape	Kg	1
113	Parafilm grafting tape	Roll	1
114	Paraffilm grafting tape	Roll	1
115	Plastic sheet	Kg	1
116	Wax	Kg	1
117	Plastic mulching, black	Kg	1
118	Biodegradable and compostable mulch film	SqM	1
119	Binding wire	Kg	1
120	Measuring Tape	Nos	1
121	Measuring Tape	Nos	1
122	Measuring Tape	Nos	1
123	Measuring Tape	Nos	1
124	Hose pipe	Meter	1
125	Hose pipe	Meter	1
126	Hose pipe	Meter	1
127	Aluminium foil	No	1
128	Aluminium foil	No	1
129	Aluminium foil	No	1
130	Aluminium sheet	SqM	1
131	Aluminium paint	Liter	1
132	Mouth mask	No	1

133	Safety googles	No	1
134	Safety googles	No	1
135	Safety googles	No	1
136	Fruit bagging	Kg	1
137	Insect proof net	SqM	1
138	Coconut rope	Kg	1
139	Nursery Shade Net 105GSM by 6 gauge	No	1
140	Nursery Shade Net 118GSM by 6 gauge	No	1
141	Nursery Shade Net 140GSM by 6 gauge	No	1
142	Nursery Shade Net 85GSM by 6 gauge	No	1
143	Nursery Shade Net 180GSM by 9 Gauge	No	1
144	Nursery Shade Net 180GSM by 9 Gauge	No	1
145	Shed net	Roll	1
146	Shed net	Roll	1
147	Bird net	Roll	1
148	Bird net	Roll	1
149	Fencing net	Roll	1
150	Fencing net	Roll	1
151	Fencing net	Roll	1
152	Poly House	Set	1
153	Poly House	Set	1
154	Poly house plastic sheet	Roll	1
155	Poly house plastic sheet	Roll	1
156	Poly house plastic sheet	Roll	1
157	Nylon Black Rope	Roll	1
158	Drip Kits Irrigation System, Inline dripper	Set	1
159	Drip Kits Irrigation System, Inline dripper	Set	1
160	Drip Kits Irrigation System, Inline dripper	Set	1
161	Drip Kits Irrigation System, Inline dripper	Set	1
162	Online Dripper Irrigation System, Acessories	set	1

163	Jian Dripkit adapter 1 inch	Each	1
164	Reducer 1 inch x 3 by 4 inch	Each	1
165	Single union valve 25mm x 3 by 4 inch	Each	1
166	Jain super flow filter 3m3	Each	1
167	Rainport Elbow 3 by 4 inch female x 25mm	Each	1
168	Tube OD 25mm class 1, meter	Each	1
169	Rainport Tee 25mm	Each	1
170	Tool for dripkit 32mm x 7.5mm	Each	1
171	Lateral end stop 8 shape x 25mm	Each	1
172	Tube hold stake C shape clip 12mm or 16mm	Each	1
173	Teflon tape	Each	1
174	Rubber washer 44 x 27 x 5.5mm	Each	1
175	Lateral tube 12mm, meter	Each	1
176	Take off adapter male 12 x 8mm	Each	1
177	Take off adapter female 12 x 8mm	Each	1
178	Lateral end stop 8 shape x 12mm	Each	1
179	Dripper	Each	1
180	Online Dripper Irrigation System, Acessories	Nos	1
181	Lateral straight punch	Each	1
182	Jian Dripkit adapter 1 inch	Each	1
183	Female thread coupler 1 inch	Each	1
184	Single union valve 32mm x 1 inch	Each	1
185	Jain super flow filter 7m3 per hr 1 inch	Each	1
186	Rainport Elbow 1 inch female x 25mm	Each	1
187	Tube OD 25mm class 1, meter	Each	1
188	Rainport Tee 25mm	Each	1
189	Tool for dripkit 32mm x 7.5mm	Each	1
190	Lateral end stop 8- shape x 25mm	Each	1
191	Tube hold stake C shape clip 12mm or 16mm	Each	1
192	Teflon tape	Each	1
193	Rubber washer 44 x 27 x 5.5mm	Each	1
194	Lateral tube 12mm	Each	1
195	Take off adapter male 12 x 8mm	Each	1
196	Take off adapter female 12 x 8mm	Each	1
197	Lateral end stop 8 shape x 12mm	Each	1
198	Dripper, 2LPH	Each	1
199	Lateral straight punch	Each	1
200	Secature Indian	each	1

		each	1
201	Purning saw		
202	Jian Dripkit adapter 1 inch	Each	1
203	Female thread coupler 1 inch	Each	1
204	Rainport single union valve 25mm x 3 by 4 inch	Each	1
205	Jain super flow filter 7m3 per hr 1 inch	Each	1
206	Rainport Elbow 1 inch female x 25mm	Each	1
207	Rainport adapter 25mm x 3 by 4 inch	Each	1
208	Tube OD 25mm class 1 meter	Each	1
209	Threaded Tee 3 by 4 inch male	Each	1
210	Tool for dripkit 32mm x 7.5mm	Each	1
211	Lateral end stop 8 shape x 25mm	Each	1
212	Tube hold stake C shape clip 12mm or 16mm	Each	1
213	Teflon tape	Each	1
214	Rubber washer 44 x 27 x 5.5mm	Each	1
215	Lateral tube 12mm In meter	Each	1
216	Take off adapter male 12 x 8mm	Each	1
217	Take off adapter female 12 x 8mm	Each	1
218	Lateral end stop 8 shape x 12mm	Each	1
219	Dripper, 2LPH	Each	1
220	Lateral straight punch	Each	1
221	Online Dripper Irrigation System, Accessories	Nos	1
222	Jian Dripkit adapter 1 inch	Each	1

223	Female thread coupler 1 inch	Each	1
224	Rainport single union valve 32mm x 1 inch	each	1
225	Jain super flow filter 7m3 per hr 1 inch	Each	1
226	Rainport Elbow 1 inch female x 32mm	Each	1
227	Rainport adapter 32mm x 1 inch	Each	1
228	Tube OD 32mm class 1 meter	Each	1
229	Threaded Tee 1 inch male	Each	1
230	Tool for drips 32mm x 7.5mm	Each	1
231	Oval hose end tube	Each	1
232	Tube hold stake C shape clip 12mm or 16mm	Each	1
233	Teflon tape	Each	1
234	Rubber washer 44 x 27 x 5.5mm	Each	1
235	Lateral tube 12mm In meter	Each	1
236	Take off adapter male 12 x 8mm	Each	1
237	Take off adapter female 12 x 8mm	Each	1
238	Lateral end stop 8- shape x 12mm	Each	1
239	Dripper, 2LPH	Each	1
240	Lateral straight punch	Each	1
241	Steel galvanized trunk box	No	1
242	Plastic zip lock bag	Kg	1
243	Plastic bag Transparent	Kg	1
244	Plastic bottles	No	1
245	Plastic bottles	No	1
246	Plastic bottles	No	1
247	Plastic bottles	No	1
248	Plastic bottles	No	1
249	Plastic bottles	No	1
250	Plastic bottles	No	1

251	Plastic bowl	No	1
252	Plastic bucket with lid	No	1
253	Plastic bucket with lid	No	1
254	Plastic bucket with lid	No	1
		No	1
255	Plastic transparent bucket		
256	Plastic Flower pots Planter	No	1
257	Plastic Flower pots Planter	No	1
258	Plastic Flower pots Planter	No	1
259	Plastic Flower pots Planter	No	1
260	Plastic Flower pots Planter	No	1
261	Plastic Flower pots Planter	No	1
262	Plastic jar	No	1
263	Plastic jar	No	1
264	Plastic crate	No	1
265	Nylon gunny bag	No	1
266	Nylon gunny bag	No	1
267	Nylon gunny bag	No	1
268	Nylon gunny bag	No	1
269	Jute gunny bag	No	1
270	Jute gunny bag	No	1
271	Packing plastic bag	Kg	1
272	Packing plastic bag for seeds	Kg	1
273	Cool box	No	1
274	Cool box	No	1
275	Cool box	Nos	1
276	Watering can, Plastic	No	1
277	Watering can, Plastic	No	1
278	Water Tank	No	1
279	Water Tank	No	1
280	Water Tank	No	1
281	Water tank	No	1
282	Water tank	No	1
283	Water tank	No	1
284	Water tank	No	1
285	Water tank	No	1
286	Water cane plastic	Set	1
287	Water cane plastic	Set	1
288	Water cane plastic	Set	1
289	Water cane plastic	Set	1

290	Pluck tray	No	1
291	Pluck tray	No	1
292	Pluck tray	No	1
293	Pluck tray	No	1
294	Pluck tray	No	1
295	Plastic transparent cup	No	1
296	Wheel barrow	No	1
297	Wheel barrow	No	1
298	Sanitary bin with lid and wheels	No	1
299	Plastic Container	No	1
300	Plastic Container	No	1
301	Plastic jar	No	1
302	Plastic jar	No	1
303	Jerry can	No	1
304	Plastic bucket	No	1
305	Plastic bucket	No	1
306	Plastic bucket	No	1
307	Plastic bucket	No	1
308	Plastic bucket	No	1
309	Plastic bucket	No	1
310	Plastic bucket	No	1
311	Poly pot	Kg	1
312	Plastic cups	Piece	1
313	Plastic cups	Piece	1
314	Cool box	No	1
315	Cool box	No	1
316	Cool box	No	1
317	Plastic flower pot	No	1
318	Plastic flower pot	No	1
319	Plastic flower pot	No	1

320	Plastic flower pot	No	1
321	Gunny bag	No	1
322	Gunny bag	No	1
323	Plastic gunny bag each	No	1
324	Plastic gunny bag each	No	1
325	Aluminium Bucket	No	1
326	Plastic Crate	No	1
327	Green Plastic crate	No	1
328	Poly pot	Kg	1
329	Poly pot	Kg	1
330	Poly pot	Kg	1
331	Poly pot	Kg	1
332	pH meter	No	1
333	Super grain bag	No	1
334	Plastic tray	No	1
335	Siever	No	1
336	Siever	No	1
337	Siever	No	1
338	NPK soil testing kits	Set	1
339	Rooting hormone	Bottle	1
340	Rooting hormone	Bottle	1
341	Measuring cylinder	No	1
342	Measuring cylinder	No	1
343	Measuring cylinder	No	1
344	Measuring cylinder	No	1
345	Protective cloths	Set	1
346	Energizer	Nos	1
347	Energizer	Nos	1
348	Wire Nail	Kg	1
349	GI wire	kg	1
350	GI wire	kg	1
351	GI wire	kg	1
352	Solar panel 12v and 20 Watt	Nos	1
353	Sealed lead acid battery, 12V 18 AH	Nos	1
354	Charger controller	Nos	1

355	Earthing plate with knot balls	Nos	1
356	Solar cable wire	Meter	1
357	MCB	No	1
358	Hand Gloves	Pair	1
359	Switch box	Nos	1
360	Insulation tape	Roll	1
361	Extension cord	Nos	1
362	Tarpari tool set	Nos	1
363	Gear oil	Litre	1
364	EF pulse volt meter	Nos	1
365	Copper wire	Mtr	1
366	Copper wire	Mtr	1
367	Hand drill machine, Battery operated	No	1
		no	1
368	Mild Steel Galvanized Trunk		
		no	1
369	Online Dripper Irrigation System, Aecessories		

Description	K.NORKHEL ENTERPRISE	
Saw blade type cutter	18000	745
Two cutter blade	690	650
Three cutter blade	650	
While color, nylon of bigget thickness	15	15
Engine displacement 21cc, Power output 0.62kW, Fuel tank capacity 400ml, Fuel mix 50:1, Blade length 490mm, Overall dimensions 1060mm, Net weight 4.7kg, 21 cc	-	21000
For trimmer machine	-	2450
Chain, bar, Standard bar length 18, 46 inch, cm; engine 70cc or more, 2700 rpm at idle running, 9600 rpm at max power, chain speed at maximum power 21, 4m, sec with bar cover Please submit brochure, Driven by a minimum of 50 cc gasoline engine, Effective bar length of 24 inch Model, MS 150 T	-	38500
24 inches	4400	
25 inches	4500	
28 inches	-	6500
RD 72	38000	1250
LD 72	-	1150
LD 73	-	1250
For sawing	1350	1150
For paddy threshing	-	-
16 liters capacity, battery operated and rechargeable	2800	2599
Rocking type, long hose pipe, 30 meters	-	6200
Fuel operated, 20 liter capsity, 2 stroke engine, 1 hP, 8.6 Kgs, 26cc	16000	6900
0 to 100 Kg capacity	10500	8845
0.001 to 10 Kg capacity	6800	3400
Resolution 0.5 pecent, maximum error 1 percent RH with plus or minus 0.5 error, measuring range of 2 to 3 percent	-	5500
Tube sealer OTS 1	-	4200
Ogm, 20 kg, battery operated	6800	4700
Ogm, 20 kg, electricity operated	-	4700
TATA or Equivalent	1250	885
TATA or Equivalent	695	565
TATA or Equivalent	845	680
TATA or Equivalent	895	845
TATA or Equivalent	-	465
TATA or Equivalent	130	
TATA or Equivalent	185	
TATA or Equivalent	245	

TATA or Equivalent	280	
TATA or Equivalent	360	
TATA or Equivalent	630	
TATA or Equivalent	935	
TATA or Equivalent	945	
TATA or Equivalent	1085	
TATA or Equivalent	1205	
TATA or Equivalent	1315	
TATA or Equivalent	220	195
TATA or Equivalent	245	195
TATA or Equivalent	765	145
TATA or Equivalent	310	
TATA or Equivalent	396	375
TATA or Equivalent	185	145
TATA or Equivalent	230	225
TATA or Equivalent	225	
TATA or Equivalent	-	248
TATA or Equivalent	345	345
TATA or Equivalent	135	120
BSB Approved	125	
BSB Approved	255	120
TATA or Equivalent	645	385
TATA or Equivalent	-	480
Fork type	125	
Small, with handle	175	
Medium with handle	165	
Steel made, equivalent to Japanese made or Japanese made with handle	95	
With handle	245	140
4 teeth	245	180
6 teeth	275	224
8 teeth	295	285
Metal with handle	-	460
Good quality	85	
Good quality	65	
Light with handle	75	
Without handle, have provision of rope	-	1165
with wooden handle	-	1217
Small, pure steel, equivalent to Japanese made or Japanese made	-	1495
Meduim, pure steel, equivalent to Japanese made or Japanese made	-	1647
Large, pure steel, equivalent to Japanese made or Japanese made	-	1788
Falcon, TATA or equivalent	-	688
Pure steel, large size with insultation, equivalent to Japanese made or Japanese made	-	8599

Pure steel, medium size with insulation, equivalent to Japanese made or Japanese made	-	6599
Pure steel, large size with insulation, equivalent to Japanese made or Japanese made	-	8199
Pure steel, medium size with insulation, equivalent to Japanese made or Japanese made	1250	
Good stainless steel with 240mm, 9 to half inch with cover	1600	
"Features Photo viewer, custom POIs, automatic routing, hunt, fish calendar, Garmin HotFix, Geocaching, photo navigation, Garmin Connect compatible, sun and moon information, area calculation, unit to unit transfer, digital compass, barometric altimeter, Compatible Software MapSource US TOPO 24K, MapSource City Navigator, MapSource BlueChart g2, SBAS WAAS, Card Reader microSD, Type TFT color touch sensitive screen Diagonal Size 3 in, Display Resolution 240 x 400 pixels, Diagonal Size metric 7.6 cm, Display Width 1.5 in, Display Height 2.5 in, Waterproof Standard IPX7, Included GPS Accessories AC power adapter, USB charging cable, carabiner clip, Waterproof, GPS Connection USB 2.0, Rechargeable Battery rechargeable nickel metal hydride, Run Time 16 sec, Ttouch sensitive screen, FLASH MEMORY Installed Size 4 GB, CARD READER Supported Flash Memory Cards microSD, Waypoints 4000, Tracks 200, Tracklog Points 10000, Routes 200 DIMENSIONS & WEIGHT Width 2.4 in, Depth 1.3 in, Height 4.5 in, Weight 7.4 oz "	0.000	42177
Back pack, 42.7cc, 2 stroke, antislip, height adjustable handle, single cylinder with all accessories	-	25215
Swiss made	-	1650
Swiss made	-	1800
Light weight with high carbon steel and blade length of 250mm with cover Taiwan make	685	
Pure steel, equivalent to Japanes made or Japanese made 300mm	-	2200
250mm, plastic handle with cover	-	749
360 degree rotation, two brass arms	565	472
360 degree, Four arms, Plastic arms	165	
12mm, 50 m	45	
Plastic, stretchable	-	205
PE clamp	-	25
Flexible	-	1200
300 GSM 18 X 24 feet	5945	4795

300 GSM 15 X 18 feet	4040	3249
300 GSM 15 X 12 feet	2695	2295
300 GSM 12 X 9 feet	1745	1349
250 GSM 18 X 24 feet	5585	4099
250 GSM 15 X 18 feet	3495	2599
250 GSM 15 X 12 feet	2530	1749
250 GSM 12 X 9 feet	1520	1045
4mm, 5mm, 10mm, 12mm, 16mm	165	
Jute	45	41.5
Aluminium made, light in weight 2 mtr height	-	7512
Double foldable, aluminium made, light in weight and more than 24 feet height and 1 feet width	-	17649
4 mm, 5mm, 10mm, 12mm, 16mm	195	142
Nano brand sutali	-	225
2 inch x 250 feet	-	2449
Water proof, perforate, different size	-	12
PVC 25mm dia, 100 meters length	195	
PVC 20mm dia, 100 meters length	165	
PVC 25mm dia	55	37
PVC 20mm dia	35	29.95
0.5 mm to 1.5 mm thickness, stretchable and all other sizes	-	225
1 inch, stretchable	-	1349
2 inches, stretchable	-	2200
Transparent, different gauges, 200 to 300 micron thickness	230	204
Candle wax	175	
Black, 240 to 300 gauge, 65 to 70 micron	265	204
Good quality	-	30
Black color, 0.75 mm dia, 22 guage	90	86.99
5 Meters, metalic	-	92
30 Meters, fibre glass	365	345
50 Meters, fibre glass	595	590
100 Meters, fibre glass	135	
Flexible, 75 mm dia	265	240
Flexible, 90 mm dia	-	340
Flexible, 110 mm dia	269	
Flat bottom, zip lock bag, silver color, 9 x 13cm, 0.2mm thick, 200 micron	-	380
Flat bottom, zip lock bag, silver color, 11 x 16cm, 0.2mm thick, 200 micron	-	420
Flat bottom, zip lock bag, silver color, 10 x 15cm, 0.2mm thick, 200 micron	-	300
less than 0.5mm	250	218
1 ltr capacity	295	285
3M 8210	-	25

UD 30	75	220
UD 39	-	220
UD 46	-	250
HDPE trasparent with UV, 15 to 30cm	-	700
10 x 5m	3500	65
All sizes	105	89
50 percent with UV treatment	-	2845
75 percent with UV treatment	-	3945
85 percent with UV treatment	-	4500
30 percent with UV treatment	-	2400
90 percent with UV treatment	8938	5999
90 percent with UV treatment	-	5999
50 percent, green color	2800	
75 percent, green color	3900	
2cm x 2cm hole, 18 meter x 36 meter	-	11800
2cm x 2cm hole, 18 meter x 50 meter	-	15800
30 x 1.1m, smallest mesh hole, Nylon	-	850
30 x 1.1m, Small mesh hole, Nylon	-	850
30 x 1.1m, Large mesh hole, Nylon	-	1250
UV treatment, 5 x 20m with steel frame	-	83299
UV treatment, 5 x 10 m with steel frame	-	52000
UV resistant, 5 x 10m	4200	2700
UV resistant, 5 x 20m	8500	5299
UV resident, 10 X 17m	14500	7999
flate for poly house and green net shade	2200	1199
Area Coverage, 250m square, Manufactured with virgin LLDPE matirials UV stabiliozed, inline size, 12mm Dripper spacing 0.30m, Discharge 1.6 liter per hr	-	6500
Area Coverage 500m square, Manufactured with virgin LLDPE matirials UV stabiliozed inline size 12mm, Dripper spacing 0.30, Discharge 3.2 lt per hr	-	8400
Area Coverage 1000m square, Manufactured with virgin LLDPE matirials UV stabiliozed, inline size 12mm, Dripper spacing 0.30m Discharge 3.2 lt per hr	-	12500
Area Coverage 2000m square Manufactured with virgin LLDPE matirials UV stabiliozed inline size12mm, Dripper spacing 0.30m Discharge 3.2 lt per hr	-	24400
Area Coverage 250m square, Manufactured with virgin LLDPE matirials UV stabiliozed inline size 12mm, Dripper spacing 0.30m Discharge1.6 lt per hr	-	35000

JDKA 1 inch	-	70
R134	-	85
SUV25HFM	-	285
JPSF03SC	-	1900
RPFTE2534	-	70
TO251001	-	740
RPT25	-	65
TDK3275	-	85
ESO825	-	30
LTHS12 or LTHS16	-	22
TT	-	20
ORSS	-	20
Superior quality	-	3800
HTOAB128	-	40
HTOAS128	-	50
ESO128	-	20
Superior quality	-	12
Area Coverage 500 m square, Manufactured with virgin LLDPE materials UV stabiliozed, inline size 12mm, Dripper spacing 0.30m, Discharge 1.6 lt per hr	-	48000
STP	-	50
JDKA 1 inch	-	70
FTC100	-	65
SUV25HFM	-	170
JPSF07SC	-	1800
RPFTE2534	-	30
TO251001	-	700
RPT25	-	40
TDK3275	-	95
ESO825	-	25
LTHS12/LTHS16	-	30
TT	-	25
ORSS	-	20
Superior quality	-	5800
HTOAB128	-	40
HTOAS128	-	45
ESO128	-	25
Superior quality	-	15
STP	-	85
Falcon or TATA or Equivalent	-	650

"Kerf 1.4mm Very light and flexible, 1.5mm blade thickness, 13 inch, 300 mm blade length 6.4 teeth per inch 7.5 teeth per 30mm teeth configuration, 0.65 pounds 300 grams operating weight 1.1 pounds 480 grams weight with sheath Durable black polypropylene sheath with detachable belt holder is included"	-	780
JDKA 1	-	70
FTC100	-	35
SUV25FRP	-	150
JPSF07SC	-	1800
RPFTE2534	-	30
RPFTA2534	-	70
TO251001	-	1400
TT34	-	950
TDK3275	-	75
ESO825	-	45
LTHS12, LTHS16	-	1400
TT	-	25
ORSS	-	20
Superior quality	-	45
HTOAB128	-	30
HTOAS128	-	30
ESO128	-	25
Superior quality	-	20
STP	-	25
Area Coverage: 2000 m square; Manufactured with virgin LLDPE materials UV stabiliozed; inline size:12mm; Dripper spacing 0.30m; Discharge: 4 lt per hr	-	48000
JDKA 1	-	75

FTC100	-	30
SUV32FRP	-	150
JPSF07SC	-	2500
RPFTE3231	-	30
RPFTA3201	-	70
TO321001	-	1490
TT01	-	85
TDK3275	-	90
OHI052051M137	-	40
LTHS12/LTHS16	-	40
TT	-	25
ORSS	-	20
Superior quality	-	16000
HTOAB128	-	35
HTOAS128	-	35
ESO128	-	30
Superior quality	-	20
STP	-	20
Extremely tough, Accurate dimensions, Anti-corrosive, Dimensions Size: L 880mm, B 500mm, H 380mm, Color Steel, Color Quality: Galvanized, Weight: 8 kg, Capacity: 120 kg, Thickness of sheet: 0.35mm	2550	
2 x 3 inch, 3 x 4 inch, 4 x 6 inch, 5 x 8 inch, 6 x 9 inch, 7 x 10 inch and 9 x 12 inch sizes	295	280
All capacities	210	185
Wide mouth with cap, 100ml	10	
Wide mouth with cap, 150ml	12	
Wide mouth with cap, 200ml	14	
Wide mouth with cap, 300ml	24	
Wide mouth with cap, 400ml	28	
Wide mouth with cap, 500ml	35	
Wide mouth with cap, 1000ml	55	45

20 ltr cap	295	
100 ltr capacity	1065	999
20 litre capacity	265	
30 litre capacity	550	375
15 liters capacity with lid and handle, top diameter 27cm, bottom diameter 20cm, height 30 cm, weight 371 gm, thickness 2.19mm	465	220
45 x 41.5cm	520	445
41 x 33.5cm	354	
34.5 x 37.5cm	275	
30 x 23cm	145	
23.5 x 9cm	75	
18.5 x 15.5cm	55	
2 litre capacity	110	25
5 litre capacity	128	105
54 cm length, 35 cm breadth, 27 cm height	565	
5 Kg capacity	15	
10 Kg capacity	25	
20 Kg capacity	35	
50 Kg capacity	75	
20 Kg capacity	65	
50 Kg capacity	115	90
5 Kg cap	199	195
2 kg capacity	199	195
5 Lts capacity	129	
10 Lts capacity	1990	1400
15Lts capacity	2550	1700
5 Lts capacity	465	265
10 Lts capacity	545	345
250 ltr Capacity, SBM Gold or Rabten	-	2225
300 ltr Capacity, SBM Gold or Rabten	2250	
500 ltr Capacity, SBM Gold or Rabten	3450	
1000 lts capacity, SBM Gold or Rabten	6900	
2000 lts capacity, SBM Gold or Rabten	14000	
1500 lts capacity, SBM Gold or Rabten	10300	
3000 lts capacity, SBM Gold or Rabten	21000	
5000 lts capacity, SBM Gold or Rabten	36500	
10 liters capacity with hose	465	345
15 liters capacity with hose	-	475
20 liters capacity with hose	545	520
5 liters capacity with hose	-	265

32 holes seed tray, PVC or PS black, tray size 540mm x 280mm, each hole size 60 x 30 x 55mm, top dia x bottom dia x height	-	45
50 holes seed tray, PVC or PS black, tray size 540mm x 280mm, each hole size 46 x 23 x 45, top dia x bottom dia x height	-	45
72 holes seed tray, PVC or PS black, tray size 540mmx280mm, each hole size 40 x 20 x 45mm, top dia x bottom dia x height	-	45
105 holes seed tray, PVC or PS black, tray size 540mm x 280mm, each hole size 35 x 10 x 35, top dia x bottom dia x height	-	49
120 holes seed tray, PVC or PS black, tray size 540mm x 280mm, each hole size 35 x 15 x 40mm, top dia x bottom dia x height	-	49
Size of 9 cm height, top diameter 8cm, bottom diameter 4.5cm	15	4
Single wheel with handle, VA1000	3600	3199
Double wheel with handle, VA1100	3995	3799
2 wheels, plastic	6500	4200
Plastic, half kg capacity, with lid	35	25
Plastic, 1 Kg capacity, with lid	55	40
10 kg capacity, cylindrical, with lid	345	220
5 kg capacity, cylindrical, with lid	230	120
Plastic, 20 lts capacity	260	265
5 liters	95	
10 Liter	215	125
15 Liters	245	210
20 liters	265	
30 liters	465	375
50 liters	550	545
100 liters	1050	995
Black color, plastic, 8 x10 inch, 10 x 12 inch, 6 x 8 inch and all smaller sizes	165	144
Small	21	3
Meduim	21	4
10 lts	1305	1250
15 lts	1900	1600
20 lts	3700	1800
12 inches outside dia at top	175	
16 inches outside dia at top	295	
18 inches outside dia at top	375	

20 inches outside dia at top	750	572
Jute, Bag 100 Kg rice capacity	165	145
Jute, Bag 50 Kg rice capacity	110	90
Plastic, Bag 100 Kg rice capacity	95	40
Plastic, Bag 50 Kg rice capacity	65	30
10 ltrs capacity, with handle	550	
54 cm length, 35 cm breadth, 27 cm height	580	
44lit capacity	5650	834
Black, plastic, 10 X 12 inch	165	160
Black color, plastic, 6 X 8 inch	165	160
Black color, plastic, 10 X 7 inch	165	160
Black color, plastic, 8 x 8 inch	165	160
Portable pen type	-	8800
SGB IV-R75 or 129, material multi layer PE barrier layer, thickness 80 micro meter, dimensions 75cm x 129cm, color green tinted, material weight 73.7gm or meter square, oxygen transmisison rate of 4.28cc or meter square per day, water vapour transmisisonr rate of 2.14g or meter square per day, weight per piece is 0.146 Kg	-	295
24 x 28 inches	490	350
Mesh size less than 0.002mm	495	240
Mesh size less than 0.06mm	345	260
Mesh size less than 2mm	545	275
For soil analysis	-	10800
Powder, 500 gm	-	787
Liquid, 500 ml	-	787
Glass made, 50 ml	-	150
Glass made, 100 ml	-	240
Glass made, 250 ml	-	340
Glass made, 500 ml	-	548
Cloth, mask and glove for spraying insecticides	-	420
5S	12300	8899
2S	6900	6900
3 and 4 inch	67	64
SWG 14 guage	92	91
SWG 16 guage	92	91
SWG 18 guage	93	91
40W	2600	2500
26 AH	2990	
12 V, 6 to 10 amps	590	

Cu or GI	195	
Superior quality	48	18
32 Amp	160	139
leather, Medium size	145	145
16 Amp	145	
Superior quality	13	12
4 way	365	
Superior quality	765	
Superior quality	65	
Superior quality	4500	2400
4sq.mm	29	28
2.5sq.mm	16	
	5600	
BOSCH or equivalent		
"High strength, Rust resistant, High durability Dimensions Size: L 880mm, B 600mm, H 460mm Color: Steel, Color Quality: Galvanized, Weight: 10 kg, Capacity: 150 kg, Thickness of sheet: 0.40mm"	1600	
Area Coverage: 1000 m square; Manufactured with virgin LLDPE materials UV stabiliozed; inline size: 12mm; Dripper spacing 0.30m; Discharge: 3.2 lt per hr	0	0