

Comparative statement for Supply of RWSS Materials for FY 2020-2021

Sl.No.	Items	Units	Qty	K.NORKHEL ENTERPRISE
1	75mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased, Socket IS 1239 or 92 mild steel galvanised and chamfered, Socketed on one end and other end covered SQCA approved brands	Mtr	1.000	708.00
2	50mm dia GI Pipe, Medium duty IS1239 or 90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased, Socket IS 1239 or 92 mild steel galvanised and chamfered, Socketed on one end and other end covered SQCA approved brands	Mtr	1.000	442.00
3	40mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands	Mtr	1.000	327.00
4	3 by 4 inch dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands	Mtr	1.000	165.00
5	25mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands	Mtr	1.000	230.00
6	20mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands, heavy duty	Mtr	1.000	165.00
7	15mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands, heavy duty	Mtr	1.000	135.00
8	90mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands, heavy duty	Mtr	1.000	1,046.00
9	110mm x 4 inch Flange set IS4984 or 87 SQCA approved brands, heavy duty	Each	1.000	1,010.00
10	90mm x 3 inch Flange set IS4984 or 87 SQCA approved brands, heavy duty	Each	1.000	660.00
11	63mm x 2 inch Flange only IS4984 or 87 SQCA approved brands, heavy duty	Each	1.000	310.00
12	50mm x 11 by 2 inch Flange set IS4984 or 87 SQCA approved brands, heavy duty	Each	1.000	345.00
13	Brass Union 63mm 2 inch SP 57, 1991 SQCA approved brands, heavy duty	Each	1.000	930.00
14	Brass Union 50mm 11 by 2 inch SP 57, 1991 SQCA approved brands, heavy duty	Each	1.000	780.00
15	Brass Union 32mm x 1 inch SP 57, 1991 SQCA approved brands, heavy duty	Each	1.000	395.00
16	Brass Union 20mm x half inch SP 57, 1991 SQCA approved brands, heavy duty	Each	1.000	220.00

17	G I Elbow 75mm IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	600.00
18	G I Elbow 50mm IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	230.00
19	G I Elbow 40mm IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	148.00
20	G I Elbow 32mm IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	125.00
21	G I Elbow 25mm IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	72.00
22	G I Elbow 20mm IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	42.00
23	G I Elbow 15mm IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	25.00
24	100mm dia G I End cap with 16mm nut welded IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	760.00
25	100mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	240.00
26	90mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	152.00
27	75 mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	152.00
28	65mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	each	1.000	132.00
29	50mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	70.00
30	40mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	52.00
31	32mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	44.00
32	25mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	32.00
33	20mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	24.00
34	15mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879, 1987 SQCA approved brands, heavy duty	Each	1.000	18.00
35	100 x 75mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	Each	1.000	750.00
36	75 x 50mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	Each	1.000	417.00
37	50 x 40mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	Each	1.000	170.00
38	40 x 32mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	Each	1.000	110.00
39	32 x 25mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	Each	1.000	80.00
40	25 x 20mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	Each	1.000	55.00
41	20 x 15mm dia GI Reducers IS 1879, 1989 SQCA approved brands, medium duty	Each	1.000	36.00
42	90mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	Each	1.000	750.00
43	75mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	Each	1.000	422.00
44	65mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	Each	1.000	304.00
45	50mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	Each	1.000	175.00
46	40mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	Each	1.000	110.00
47	32mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	Each	1.000	77.00
48	25mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	Each	1.000	52.00
49	20mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	Each	1.000	36.00

50	15mm dia GI Socket IS 1879, 1992 SQCA approved brands, medium duty	Each	1.000	24.00
51	75mm dia GI Pipe, Medium duty IS1239 or 90 longitudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased, Socket IS 1239 or 92 mild steel galvanized and chamfered, Socketed on one end and other end covered SQCA approved brands	each	1.000	4,250.00
52	75mm dia GI tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	Each	1.000	758.00
53	65mm dia GI tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	Each	1.000	540.00
54	50mm dia GI tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	Each	1.000	348.00
55	40mm dia GI tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	Each	1.000	206.00
56	32mm dia GI tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	Each	1.000	155.00
57	25mm dia GI tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	Each	1.000	93.00
58	20mm dia GI tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	Each	1.000	70.00
59	15mm dia GI tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	Each	1.000	42.00
60	75 x 75 x 15mm GI Tee Unequal IS 1879, 1992 SQCA approved brands, Medium Duty	Each	1.000	758.00
61	65 x 65 x 15mm dia GI Tee;s Unequal IS 1879:1992 SQCA approved brands, Medium Duty	Each	1.000	540.00
62	50 x 50 x 15mm dia GI Tee;s Unequal IS 1879:1992 SQCA approved brands, Medium Duty	Each	1.000	348.00
63	40 x 40 x 15mm dia GI Tee;s Unequal IS 1879:1992 SQCA approved brands, Medium Duty	Each	1.000	200.00
64	32 x 32 x 15mm dia GI Tee;s Unequal IS 1879:1992 SQCA approved brands, Medium Duty	Each	1.000	152.00
65	25 x 25 x 3 by 4mm dia GI Tee;s Unequal IS 1879:1992 SQCA approved brands, Medium Duty	each	1.000	95.00
66	25 x 25 x 15mm dia GI Tee;s Unequal IS 1879:1992 SQCA approved brands, Medium Duty	Each	1.000	95.00
67	20 x 20 x 15mm dia GI Tee;s Unequal IS 1879:1992 SQCA approved brands, Medium Duty	Each	1.000	70.00
68	32 mm dia GI Unions IS1879:1992 SQCA approved brands, Medium Duty	Each	1.000	242.00
69	40mm dia GI Unions IS1879:1992 SQCA approved brands, Medium Duty	Each	1.000	300.00
70	65mm dia GI Unions IS1879:1992 SQCA approved brands, Medium Duty	Each	1.000	930.00
71	90mm dia GI Unions IS1879:1992 SQCA approved brands, Medium Duty	Each	1.000	-
72	75 mm dia GI Unions IS1879:1992 SQCA approved brands, Medium Duty	Each	1.000	1,260.00
73	50 mm dia GI Unions IS1879:1992 SQCA approved brands, Medium Duty	Each	1.000	450.00
74	40mm dia GI Unions IS1879:1992 SQCA approved brands, Medium Duty	Each	1.000	300.00
75	32mm dia GI Unions IS1879:1992 SQCA approved brands, Medium Duty	Each	1.000	245.00
76	25mm dia GI Unions IS1879:1992 SQCA approved brands, Medium Duty	Each	1.000	158.00
77	20mm dia GI Unions IS1879:1992 SQCA approved brands, Medium Duty	Each	1.000	130.00
78	15mm dia GI Unions IS1879:1992 SQCA approved brands, Medium Duty	Each	1.000	76.00
79	100 mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	Each	1.000	8,600.00
80	75 mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	Each	1.000	4,600.00

81	50 mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	Each	1.000	2,100.00
82	40mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	Each	1.000	1,305.00
83	32mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	Each	1.000	1,045.00
84	25mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	Each	1.000	820.00
85	20 mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	Each	1.000	515.00
86	15mm dia Brass gate Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	Each	1.000	368.00
87	25mm dia Brass globe Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	Each	1.000	820.00
88	32mm dia Brass globe Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	Each	1.000	1,095.00
89	20mm dia Brass globe Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	Each	1.000	395.00
90	15mm dia Brass globe Valve, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands, Medium Duty	Each	1.000	395.00
91	15mm dia Brass Tap, Heavy duty, class I 1.5MPa IS778-84 SQCA approved brands	Each	1.000	245.00
92	15mm dia Tap stand regulating valve set with key Heavy duty class I, 1.5MPa IS778-84 SQCA approved brands	Each	1.000	418.00
93	Air release valve half inch SQCA approved brands	Each	1.000	1,150.00
94	40mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	Each	1.000	3,200.00
95	32mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	Each	1.000	2,850.00
96	25mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	Each	1.000	1,830.00
97	3 by 4 inch dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	each	1.000	1,615.00
98	20mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	Each	1.000	1,615.00
99	15mm dia Float valve Copper or brass made, Min wt. +20gms SQCA approved brands, kohli, ui, zolotto, zest, escoco, apex, ford, drp, jsi, suraj, jal	Each	1.000	1,445.00
100	100mm dia Valve box with end cap GI Pipe of medium duty, Burrs removed, cut edges smoothened with file or grinderm GI thread is clean smooth and greased Endcap and pipe screwed together as per attached drawing or sample available at RWSS store, Dagana or Phuentsholing	Each	1.000	1,450.00
101	half inch valve box key with 3 points sample available at RWSS store, Dagana or Phuentsholing	Each	1.000	350.00
102	Wheel Grease in half kg pot standard quality	Pot	1.000	180.00
103	Nails U, SWG H=35mm, W-10mm sharpened Galvanized wire nails sharpened	Kg	1.000	88.00
104	Nails 4 inch Galvanized wire nails sharpened rust free	Kg	1.000	67.00
105	Prefab Manhole cover and slab as per PHE drawing and Specifications, Medium Duty	Set	1.000	1,450.00
106	Rebar 8mm, TATA steel bars, IS:1786 or 1985 Grade FE415, TOR	Kg	1.000	61.00
107	Rebar 10mm, TATA steel bars, IS:1786 or 1985 Grade FE415, TOR	Kg	1.000	61.00
108	Plain Hessian Jute sheet, 7.5 Oz width 90cm, in roll of 30 meter. Sample available at RWSS Store, Dagana or Phuentsholing	Mtr	1.000	45.00
109	Barbed wire gauge 12SWG double wired, double barbed 90 degrees angle, every 10cm, galvanized IS: 278/196, in roll of 30kgs weight tolerance +3kg	Rolls	1.000	2,370.00

110	Wire, GI binding gauge 22 SWG in roll of 1kg standard quality	kg	1.000	93.00
111	Wire Mesh Chicken 23SWG, hexagonal 15mm, 11 by 2 inch full twist double string at side, width 1 metre in rolls of 25m	Mtrs	1.000	63.00
112	Wire Mesh full twist double string at side 2mm width 1 metre	Mtrs	1.000	225.00
113	Wire, Plain guage 4mm 8SWG, with light galvanized coating In rolls of 40 kgs, weight tolerance of +3kg	Kg	1.000	92.00
114	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	Each	1.000	360.00
115	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	Each	1.000	228.00
116	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	Each	1.000	105.00
117	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	Each	1.000	78.00
118	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 32mm dia	Each	1.000	66.00
119	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 25mm dia	Each	1.000	48.00
120	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 20mm dia	Each	1.000	36.00
121	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 15mm dia	Each	1.000	26.00
122	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	Each	1.000	480.00
123	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	Each	1.000	304.00
124	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	Each	1.000	140.00
125	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	Each	1.000	104.00
126	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 32mm dia	Each	1.000	88.00
127	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 25mm dia	Each	1.000	48.00
128	GI Pipe both end threaded, 20cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 20mm dia	Each	1.000	35.00
129	GI Pipe both end threaded, 15cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brand, 15mm dia	Each	1.000	25.00
130	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	Each	1.000	600.00
131	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	Each	1.000	380.00
132	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	Each	1.000	175.00
133	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	Each	1.000	130.00
134	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 32mm dia	Each	1.000	110.00
135	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 25mm dia	Each	1.000	80.00
136	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 20mm dia	Each	1.000	60.00
137	GI Pipe both end threaded, 25cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 15mm dia	Each	1.000	45.00
138	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	Each	1.000	720.00

139	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	Each	1.000	455.00
140	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	Each	1.000	206.00
141	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	Each	1.000	155.00
142	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 32mm dia	Each	1.000	132.00
143	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 25mm dia	Each	1.000	96.00
144	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 20mm dia	Each	1.000	72.00
145	GI Pipe both end threaded, 30cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA heavy duty, approved brands, 15mm dia	Each	1.000	54.00
146	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	Each	1.000	840.00
147	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	Each	1.000	530.00
148	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	245.00
149	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	182.00
150	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	154.00
151	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	112.00
152	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	84.00
153	GI Pipe both end threaded, 35cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty, approved brands, 15mm dia	Each	1.000	63.00
154	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	Each	1.000	960.00
155	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	Each	1.000	604.00
156	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	280.00
157	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	208.00
158	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	176.00
159	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	128.00
160	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	96.00
161	GI Pipe both end threaded, 40cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty, approved brands, 15mm dia	Each	1.000	72.00
162	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	Each	1.000	1,080.00
163	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	Each	1.000	684.00
164	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	315.00
165	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	234.00
166	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	198.00
167	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	144.00
168	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	108.00

169	GI Pipe both end threaded, 45cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty, approved brands ,15mm dia	Each	1.000	72.00
170	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands, 100mm dia	Each	1.000	1,200.00
171	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	Each	1.000	760.00
172	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	350.00
173	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	260.00
174	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	220.00
175	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	160.00
176	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	120.00
177	GI Pipe both end threaded, 50cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty, approved brands, 15mm dia	Each	1.000	90.00
178	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1987 approved brands, 100mm dia	Each	1.000	1,560.00
179	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA heavy duty	Each	1.000	988.00
180	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	455.00
181	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	338.00
182	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	286.00
183	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	208.00
184	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	156.00
185	GI Pipe both end threaded, 65cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA heavy duty,approved brands, 15mm dia	Each	1.000	117.00
186	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty,approved brands, 100mm dia	Each	1.000	3,360.00
187	75mm dia G I tee equal IS 1879, 1992 SQCA approved brands, Medium Duty	each	1.000	760.00
188	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	Each	1.000	160.00
189	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 70mm dia	Each	1.000	490.00
190	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 40mm dia	Each	1.000	364.00
191	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 32mm dia	Each	1.000	308.00
192	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 25mm dia	Each	1.000	224.00
193	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 20mm dia	Each	1.000	168.00
194	GI Pipe both end threaded, 70cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 15mm dia	Each	1.000	126.00
195	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	Each	1.000	1,920.00
196	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	Each	1.000	1,216.00
197	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	560.00
198	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	416.00

199	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	352.00
200	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	256.00
201	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	192.00
202	GI Pipe both end threaded, 80cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	Each	1.000	144.00
203	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA heavy duty, approved brands ,100mm dia	Each	1.000	2,640.00
204	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	Each	1.000	1,672.00
205	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	Each	1.000	770.00
206	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 40mm dia	Each	1.000	572.00
207	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 32mm dia	Each	1.000	484.00
208	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 25mm dia	Each	1.000	352.00
209	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 20mm dia	Each	1.000	264.00
210	GI Pipe both end threaded, 110cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 15mm dia	Each	1.000	198.00
211	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	Each	1.000	2,880.00
212	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	Each	1.000	1,824.00
213	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	840.00
214	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	620.00
215	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	520.00
216	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	380.00
217	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	288.00
218	GI Pipe both end threaded, 120cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	Each	1.000	192.00
219	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	Each	1.000	3,000.00
220	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	Each	1.000	1,900.00
221	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	875.00
222	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	650.00
223	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	550.00
224	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	400.00
225	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	300.00
226	GI Pipe both end threaded, 125cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	Each	1.000	225.00
227	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	Each	1.000	3,120.00
228	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	Each	1.000	1,976.00
229	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	910.00
230	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	676.00

231	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	572.00
232	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	416.00
233	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	312.00
234	GI Pipe both end threaded, 130cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	Each	1.000	208.00
235	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	Each	1.000	3,360.00
236	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	Each	1.000	2,128.00
237	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	980.00
238	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	725.00
239	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	615.00
240	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	448.00
241	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	336.00
242	GI Pipe both end threaded, 140cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	Each	1.000	250.00
243	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	Each	1.000	3,480.00
244	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	Each	1.000	2,128.00
245	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	1,015.00
246	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	750.00
247	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	638.00
248	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	464.00
249	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	348.00
250	GI Pipe both end threaded, 145cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	Each	1.000	260.00
251	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	Each	1.000	3,840.00
252	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	Each	1.000	2,430.00
253	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	1,120.00
254	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	832.00
255	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	704.00
256	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	512.00
257	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	384.00
258	GI Pipe both end threaded, 160cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	Each	1.000	288.00
259	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	Each	1.000	4,080.00
260	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	Each	1.000	2,584.00
261	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	1,190.00
262	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	884.00
263	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	748.00

264	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	576.00
265	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	408.00
266	GI Pipe both end threaded, 170cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	Each	1.000	306.00
267	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	Each	1.000	4,200.00
268	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 75mm dia	Each	1.000	2,660.00
269	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1987 SQCA approved brands, 50mm dia	Each	1.000	1,225.00
270	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 40mm dia	Each	1.000	910.00
271	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 32mm dia	Each	1.000	770.00
272	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 25mm dia	Each	1.000	560.00
273	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 20mm dia	Each	1.000	420.00
274	GI Pipe both end threaded, 175cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 15mm dia	Each	1.000	315.00
275	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1987 SQCA approved brands, 100mm dia	Each	1.000	4,320.00
276	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	Each	1.000	2,736.00
277	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	1,260.00
278	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	936.00
279	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	770.00
280	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	576.00
281	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	456.00
282	GI Pipe both end threaded, 180cm length toleranc +1cm -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	Each	1.000	324.00
283	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1988 SQCA approved brands, 75mm dia	Each	1.000	3,040.00
284	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	1,400.00
285	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	1,040.00
286	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	880.00
287	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	640.00
288	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	480.00
289	GI Pipe both end threaded, 200cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	Each	1.000	360.00
290	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	1,470.00
291	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	1,092.00
292	GI Pipe both end threaded, 210cm length tolerance +1cm, -1cm, IS 1879: 1987a SQCA approved brands, 25mm dia	Each	1.000	672.00
293	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	1,750.00
294	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	1,300.00
295	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	1,100.00
296	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	800.00

297	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	600.00
298	GI Pipe both end threaded, 250cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	Each	1.000	400.00
299	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1989 SQCA approved brands, 50mm dia	Each	1.000	2,065.00
300	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1990 SQCA approved brands, 40mm dia	Each	1.000	1,534.00
301	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1991 SQCA approved brands, 32mm dia	Each	1.000	1,298.00
302	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1992 SQCA approved brands, 25mm dia	Each	1.000	944.00
303	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1993 SQCA approved brands, 20mm dia	Each	1.000	708.00
304	GI Pipe both end threaded, 295cm length tolerance +1cm, -1cm, IS 1879: 1994 SQCA approved brands, 15mm dia	Each	1.000	472.00
305	Blow Lamp, IS2594:1976 Ludhana, Equivalent	Each	1.000	1,270.00
306	Hacksaw Blade, Double, IS2594:1976 Ludhana, Equivalent	Pcs	1.000	12.00
307	Blade, hacksaw single side IS2594:1976 Ludhana, Equivalent	Pcs	1.000	6.00
308	Hacksaw Frame Ludhana, Equivalent	Each	1.000	140.00
309	Bench Vice 2inch to 3 inch Ludhana, Equivalent	Set	1.000	2,660.00
310	Die Bit half inch to 1 inch Ludhana, Equivalent	Pairs	1.000	960.00
311	Die Bit 1 inch Ludhana, Equivalent	Pairs	1.000	322.00
312	Die Bit 1 and half inch to 2 inch Ludhana, Equivalent	Pairs	1.000	322.00
313	Die Bit 2 inch Ludhana, Equivalent	Pairs	1.000	490.00
314	Die Bit 2 and half inch to 3 inch Ludhana, Equivalent	Pairs	1.000	490.00
315	Die Bit 3 inch Ludhana, Equivalent	Pairs	1.000	490.00
316	Ratchet Die Set, die bit half inch Ludhana, Equivalent	set	1.000	2,400.00
317	Wooden flat file Ludhana, Equivalent	Each	1.000	195.00
318	Ratchet Die set half inch to 1 inch Ludhana, Equivalent	set	1.000	2,400.00
319	15mm dia Brass stop cock, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands	Each	1.000	260.00
320	3 by 4 inch dia Brass stop cock, GM full way valve, class I 1.5MPa IS778-84 SQCA approved brands	Each	1.000	385.00
321	GI Bend half inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	Each	1.000	25.00
322	GI Bend 3 by 4 inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	Each	1.000	35.00
323	GI Bend 1 inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	Each	1.000	50.00
324	GI Bend 1 and half inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	Each	1.000	50.00
325	GI Bend 2 inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	Each	1.000	360.00
326	GI Bend 2 and half inch dia 90 degree I 1.5MPa IS778-84 SQCA approved brands	Each	1.000	390.00
327	40mm dia G I Nipple length is 10cm tolerance +0cm, 2cm, IS 1879:1987 SQCA approved brands	Each	1.000	52.00
328	End Plug 15mm dia Kohli, UI, Unik, Mac, DRP, SHIP, JSI, Nidhi	Each	1.000	15.00
329	End Plug 3 by 4 inch dia Kohli, UI, Unik, Mac, DRP, SHIP, JSI, Nidhi	Each	1.000	25.00
330	HDPE Water Storage Tank 500L Rabten, Druk	Each	1.000	3,450.00
331	HDPE Water Storage Tank 1000L Rabten, Druk	Each	1.000	7,200.00
332	HDPE Water Storage Tank 2000L Rabten, Druk	Each	1.000	14,200.00
333	HDPE Water Storage Tank 3000L Rabten, Druk	Each	1.000	21,400.00
334	G I Chain Link Mesh 4mm 8swg x 50mm	Sqm	1.000	330.00
335	Crowbar 25 x 1650mm TATA, Equivalent	No	1.000	790.00
336	Crowbar 32 x 1650mm TATA, Equivalent	No	1.000	1,150.00
337	Pickaxe 2.5kg TATA, Equivalent	No	1.000	295.00
338	Shovel, Square nose, 1.8kg TATA, Equivalent	No	1.000	390.00
339	Shovel, Round nose, 1.6kg TATA, Equivalent	No	1.000	305.00
340	Spade 1.4kg TATA, Equivalent	No	1.000	190.00
341	DSF Hammer 5kg TATA, Equivalent	No	1.000	775.00
342	DSF Hammer 3kg TATA, Equivalent	No	1.000	498.00
343	Mason Hammer 0.5kg TATA, Equivalent	No	1.000	220.00

344	Mortar Pan, standard TATA, Equivalent	No	1.000	130.00
345	Chiseling Hammer 0.5kg TATA, Equivalent	No	1.000	195.00
346	Axe 1.5kg TATA, Equivalent	No	1.000	640.00
347	Sickle large TATA, Equivalent	No	1.000	120.00
348	Mason trowel 3 inch to 6 inch TATA, Equivalent	No	1.000	55.00
349	Claw Hammer 0.5kg TATA, Equivalent	No	1.000	195.00
350	Mason Thread, ball TATA, Equivalent	No	1.000	48.00
351	Triangular File 5 inch TATA, Equivalent	No	1.000	60.00
352	Half round file 5 inch TATA, Equivalent	No	1.000	95.00

353	Plastic Tarpauline 18 x 24 feet Standard quality	No	1.000	795.00
354	Water Proof Tarpauline 18 x 24 feet Standard quality	No	1.000	1,550.00
355	M. Seal Standard quality	Pkts	1.000	35.00
356	white Plastic Sheet 100GSM Standard quality	Mtrs	1.000	40.00
357	Tool Box with tools inside Standard quality	Set	1.000	5,500.00
358	Lock and Key Bravo, equivalent	Each	1.000	85.00
359	Pipe Wrench 18 inch Standard Quality	Each	1.000	530.00
360	Pipe Wrench 36 inch Standard Quality	Each	1.000	1,975.00
361	Pipe Wrench 14 inch Standard Quality	Each	1.000	320.00
362	Heating Plate 4 inch Standard Quality	Each	1.000	695.00
363	Heating Plate 6 inch Standard Quality	Each	1.000	1,150.00
364	Mason trowel 2 inch Standard Quality	Each	1.000	35.00
365	Mason trowel 3 inch Standard Quality	Each	1.000	60.00
366	Mason trowel 6 inch Standard Quality	Each	1.000	85.00
367	Sly Wrench Taparia, equivalent	Each	1.000	325.00
368	Plier Taparia, equivalent	Each	1.000	240.00
369	Core wip, coconut rope Strong and thick	kg	1.000	95.00
370	Hussion Jute Strong and thick	kg	1.000	45.00
371	Taflon Cover standard quality	Each	1.000	198.00
372	Thermochrome standard quality	Each	1.000	225.00
373	Quick Cement 1kg pack Np 2 class, 100mm dia	kg	1.000	45.00
374	90mm dia GI Pipe, Medium duty IS1239 or 90 long itudinally welded mild steel, hot dipped galvanized as per IS 4736 or 68, both ends male threaded BS 21 and greased. Socket IS 1239 or 92 mild steel galvanised and chamfered. Socketed on one end and other end covered SQCA approved brands	Mtrs	1.000	710.00