

Sl.No.	Items	Unit	Qty	Specification	B.D. COMMERCIAL	NG ENTERPRISE	LAMLA SALES AND SERVICES	KB ENTERPRISE	AMODA ENTERPRISES
1	Power Adapter for Fiber Ethernet Media Converter	Each	1	10, 100 Base, Tx to 100 Base, Fx Single Mode WDM Link, TPLink					
2	Fiber Ethernet Media Card	Each	1	D-Link, TP-Link	2490	9200	-	-	6500
3	24 Port Switch	Each	1	10, 100, 1000	3490	14300	-	-	-
4	Manageable switch 24 Ports	Each	1	CISCO, Equivalent	5490	4450	18700	9800	9752
5	Manageable switch 16 Ports	Each	1	CISCO, Equivalent	8490	33400	-	-	77000
6	16 Port Switch	Each	1	10, 100, 1000	7490	23000	-	-	43000
7	8 Port mini switch	Each	1	best quality, standard	4890	2640	1400	7300	7516
8	Gigabit switch 48 ports	Each	1	10, 100, 1000 Rack mount DLink, TPLink	1490	1870	-	1300	2673
9	Gigabit switch 24 ports	Each	1	10, 100, 1000 Rack mount DLink, TPLink	28490	48700	-	38000	30537
10	Gigabit switch 16 ports	Each	1	10, 100, 1000 Rack mount DLink, TPLink	11490	34000	-	9200	15896
11	Gigabit switch 12 ports	Each	1	10, 100, 1000 Rack mount DLink, TPLink	7490	19999	-	7200	7516
12	Gigabit switch 8 ports	Each	1	10, 100, 1000 Rack mount DLink, TPLink	7490	15400	-	6200	7516
13	Fiber Cable Single mode	Each	1	4 core outdoor type	2890	5400	-	5000	4500
14	Patch Panel Cat 6 Keystone 48 Port, Rack mount	Each	1	DLink, TPLink	75	-	-	-	45
15	Patch Panel Cat 6 Keystone 24 Port, Rack mount	Each	1	DLink, TPLink	8490	24300	-	-	15000
16	RJ 45	Each	1	DLink, TPLink white color	5490	17600	-	-	5100
					12	23	-	19	1800

Handwritten signature and initials.

17	UTP Cable	Each	1	CAT6	5890	7900	-	21000	7500
18	Wireless, N VPN Router CVR100W	Each	1	CISCO, Equivalent	8490	16400	-	-	-
19	2.4 GHz Wireless, N Router	Each	1	CISCO, Equivalent	12490	6700	-	-	3500
20	Cat 6 factory crimped patch cord	Each	1	1 meter	129	500	-	500	250
21	Cat 6 factory crimped patch cord	Each	1	3 meter	249	1320	-	800	350
22	Cat 6 factory crimped patch cord	Each	1	5 meter	349	1450	-	1100	550
23	Patch Panel 24 port	Each	1	standard	5490	8900	-	-	5100
24	Router with K9 licences	Each	1	CISCO, Equivalent	64390	59800	-	-	67000
25	Cat 6A IO Box	Each	1	with Face Plate and CATEGORY 6A Modular Jacks, IO Jack UTP CAT6A I, O with Face Plate, Single, Front Shutter	439	760	-	-	750
26	9U Wall Mount Switch Rack with lock	Each	1	standard	8490	18900	-	-	9500
27	FODP 6 ports 19 inch Rack Mountable Fiber Patch Panel loaded with SC Phase plate, SC Duplex adapter, Splice tray and SC pigtails	Each	1	Patch panel should be dust and rodent proof	24390	61200	-	-	14500
28	Fiber Patch Cord Simplex SC SM	Each	1	5 meter	849	-	-	-	650
29	TL WA901ND, 300Mbps Wireless N Access Point	Each	1	DLink, DigiLink, TPLink	3890	4900	-	4800	3900
30	DAP 3520, Wireless N Dual Band PoE Outdoor Access Point	Each	1	DLink, DigiLink, TPLink	16490	16300	-	-	10500

4x 4

31	TL WA7510N, 5GHz 150Mbps Outdoor Wireless Access Point	Each	1	DLink, Digilink, TPLink	11490	19800	-	-	5500
32	Cat6 UTP Cable 4 Pair Solid Cable, 23AWG, Box of 305 mtr	Each	1	DLink, Digilink, TPLink	5890	7900	-	-	7500
33	Antivirus licensed 5, 10, 20 users	Each	1	SMADAV	7890	870	-	970	16000
34	Aest total security Antivirus	Each	1	best quality, standard	1490	2100	-	1900	1200
35	Antivirus user	Each	1	Quick Heal	789	990	-	970	850
36	Antivirus 2 users	Each	1	quick heal	1249	1990	-	1900	1600
37	Antivirus 3 users	Each	1	quick heal	1949	2970	-	2700	2400
38	Antivirus 5 users	Each	1	quick heal	3890	4950	-	4300	3500
39	Antivirus 10 users	Each	1	quick heal	6890	9900	-	8300	5000
40	Stabilizer	Each	1	1 KV	2890	3760	3800	3200	-
41	Stabilizer	Each	1	3KV	4890	10200	-	8200	-
42	Stabilizer	Each	1	4KVA	6890	19000	-	14000	-
43	Stabilizer	Each	1	5 KVA	9890	19800	-	17000	-
44	UPS 600	Each	1	best quality, standard	2890	3700	2740	7200	3700
45	UPS 650	Each	1	best quality, standard	2890	4500	-	7900	-
46	UPS 800	Each	1	best quality, standard	5490	5400	5700	11000	6700
47	UPS 1000	Each	1	best quality, standard	5890	5980	6400	12000	9700
48	APC 600	Each	1	best quality, standard	4890	5500	4400	7200	3700
49	APC 650	Each	1	best quality, standard	4890	6300	-	7900	-
50	APC 800	Each	1	best quality, standard	6490	7100	6200	11000	6700
51	APC 1000	Each	1	best quality, standard	6990	5980	9900	12000	9700
52	APC 1100 VA	Each	1	best quality, standard	6990	8400	7900	13000	7500
53	UPS 800 VA	Each	1	best quality, standard	5890	5300	-	8300	6700
54	UPS 1000 VA	Each	1	best quality, standard	6890	5890	-	13000	9700
55	UPS 1100 VA	Each	1	best quality, standard	6890	8400	8500	13000	7500
56	Smart UPS SC 1500 VA 120V	Each	1	2U Rackmount	38490	89000	64000	-	24500

87 4

	Smart UPS SC 2000 VA								
57	120V	Each	1	2U Rackmount	49980	132000	-	-	67500
58	External Hard drive 4 GB	Each	1	Transcend,Toshiba, Samsung	349	530	-	550	650
59	External drive, 8 GB	Each	1	Transcend,Toshiba, Samsung	349	680	-	550	650
60	"2U Rack server, Mid End Server"	each	1	Intel Xeon ES-4620V2 2.60GHz, 20MB Cache dual processors Cores 8 per processors 32GB (2 x 16GB) DDR3 Memory 2.5? hot-plug SAS, SATA embedded host controller 4 x 350GB (1.3TB) 7.2K RPM SAS, SATA, SFF Hard Drive Optical DVD-R driveEmbedded dual port 1GB Ethernet & 2 ports 10Gb Ethernet Hot-plug redundant 750 Watt power supply unit Optical DVD-R drive iDRAC7, iLO Express port Server system hardware device drivers software 3 pin type AC power cord (Optional) USB optical keyboard & mouse (Optional) 17 inch LCD Screen, Server rack mounting kits OS (Free DOS, Open Source)	239490	390000	-	-	765000

27

61	"HP color Laserjet (or equivalent) printer(medium duty)	Each	1	<p>:-Print speed Black: up to 12ppm, print speed colour: up to 8ppm, print quality black: up to 600x600 dpi, print quality colour: up to 600x600 dpi, print technology: In-line colour laser printing technology, standard memory: 16MB, processor speed: 264 MHz, paper handling standard/ input: 150-sheet input tray, paper handling standard/ output: 125-sheet face-down output bin."HP/Canon/Equivalent</p>	24390	28300	9900	20999	33000
62	Photocopy Machine, Light duty(A3/A4)(Copy print ,scan)	each	1	<p>Print Technology:- Monochrome Laser,print Speed (Black normal Quality, A4) up to 33ppm, Pages per month:- up to 100000pages, maximum:- 320 MB, Processor speed-400MHz, max.print speed :20-22ppm, memory capacity:128mb, reolution: 600x600 dpi, toner yield::approx 1000 to 3000 sheet, drum yield approx 61000 sheet, without ADF, HP/Canon/Equivalent</p>	98490	215000	49400	42000	111000
63	Photocopy Machine, Medium duty(A3/A4)	each	1	<p>full option, max.print speed: 22-35ppm, memory capacity:128mb, reolution: 600x600 dpi, toner yield:approx 1000 to 3000 sheet, drum yield approx 61000 sheet, with full option.HP/Canon/Equivalent</p>	89490	53400	57400	114000	126000

67

64	Photocopy Machine, heavy duty	each	1	(A3/A4) full option with ADF, max.print speed :35-45ppm, memory capacity:128mb, resolution: 600x600 dpi, toner yield:approx 1000 to 3000 sheet, drum yield approx 61000 sheet, full option WITH ADF.HP/Canon/Equivalent	149390	365000	154370	248000	288000
----	-------------------------------	------	---	---	--------	--------	--------	--------	--------

  


	"Projector, Brightness:2500 ANSI Lumens (Max) Contrast Ratio: 2200:1 Typical (Full On/Full Off) Resolution: SVGA native resolution (800x600) Uniformity: 90% Typical (Japan Standard - JBMA) Projection Lens: F-Stop: F/ 2.41-2.55 Focal length, f=21.8~24mm Zoom Lens: Manual 1.1x Throw ratio: 1.95 (wide) - 2.15 (tele) Image Size: 58.16 - 769.62 cm (22.9" - 303") (diagonal) Projection Distance: 3.28 ft ~ 39.37 ft (1m ~ 12m) 3D-Capable: Yes  "							
65	each	1	Acer /EPSON/SONY	29980	29100	27400	27999	0.000

87 HP

66	"Projector, Brightness: 5000 ANSI Lumens (Max.) Contrast Ratio: 2500:1 (Natural) 10000:1 (Dynamic) 20000:1 (Static) Native Resolution: 1080p Full HD (1920 x 1080p) Aspect Ratio: 16:9 Uniformity: 85% Typical (Japan Standard - JBMA) Projection Lens: F-Stop: F/2.6~2.9 Focal length, f = 39.12~46.94mm Throw Ratio: 1.85 (wide) - 2.22 (tele) Lens Offset Ratio: 115% ± 5% (shipping default) Zoom Ratio: Manual 1.2x Keystone Correction: Automatic Vertical ± 30° Projection Distance: 3.28 ft ~ 39.37 ft (1.0m ~ 12m) Screen Size - Diagonal: 20.3" ~ 292.9" (0.53m ~ 7.44m)	each	1	Acer /EPSON/SONY	84390.000	59000.000	99340.000	147000.00 0	0.000
67	camera digital, CANON: 16- 20 mega pixel.senser size L 1/2.3:..Lens 4.00 zoom(25-10mmmq) including all batteries and carry case	each	1	including all batteries and carry case	11490	56000	23400	9200	-

94 48



68	VGA Cable,	each	1	Full Copper, High Resolution 1080 with Ethernet 1.4 version 3metres	1149	1540	475	1200	850
69	VGA Cable,	each	1	Full Copper, High Resolution 1080 with Ethernet 1.4 version 5metres	1649	2130	595	2100	1250
70	VGA Cable,	each	1	Full Copper, High Resolution 1080 with Ethernet 1.4 version 10 metres	3890	3200	1345	3700	1500
71	Printer HP Laserjet P2035	each	1	HP	16490	21300	18400	16999	26000
72	"Printer HP LaserJet Pro M1213nf: All-In- One Printer(Print, Copy & Scan)	each	1	HP	18490	19300	16400	18299	26500
73	"Printer HP LaserJet Pro M1136 MFP: All-In- One Printer (Print, Copy & Scan) "	each	1	HP	14890	18340	16400	15700	18500
74	"Multifunctional Printer(Print, scan, copy and Fax)	each	1	Canon/Equivalent	14890	16400	17400	18299	26500
75	Duplex printer	each	1	HP/Canon/Equivalent	16490	17999	16740	15800	29500
76	Pin dot matrix	each	1	electronic Rongda Machine)	11490	-	97400	-	17500
77	Duplicating machine	each	1	(Electronic /hand operator)	114890	-	53400	-	-
78	"Fax machine,	each	1	Brother FAX-575 Personal Fax, Phone, And Copier "	11490	19300	17400	17000	-
79	Fax machine,	each	1	KXFP-907	11490	12200	10400	14000	-
80	Fax machine	each	1	KXFP-343	11490	13200	10400	-	-
81	Kit w/ 18-55 mm	each	1	Lens-Nikkom	9890	40000	-	-	50000
82	DSLR, Kit I EF-S18-55 mm IS II	each	1	Lens-cannon	43490	50000	-	58000	55000
83	DSLR, Kit III (EF S18-200mm Lens)	each	1	DSLR- Cannon	98490	65000	-	68000	55000
84	Camera Stand (Pro Star)	each	1	Medium/Small	9890	19200	3700	-	10500

94 11 4 9 12. 6 14.